George Brainard

Serial No.:

09/853,428

Group: 3739

Filed:

May 10, 2001 Examiner: Roy Dean Gibson

For:

PHOTORECEPTOR SYSTEM FOR MELATONIN REGULATION AND PHOTOTHERAPY.

## In The Claims

Claim 1 (currently amended) A method of treating or preventing a light responsive disorder in a mammal, comprising administration of a therapeutically effective amount of light to said mammal, said light being generated by a light system, wherein said light system emits a balance of wavelengths to stimulate a circadian, photoneural, or neuroendocrine system of said mammal, said balance of wavelengths having a peak sensitivity ranging from 425—505 435 – 488 nm.

Claim 2 (original) The method of Claim 1, wherein said light responsive disorder is at least one of the group of seasonal affective disorder (SAD), a sleep disorder, circadian disruption, eating disorders, menstrual cycle disorders, non-specific alerting or performance deficits, hormone-sensitive cancers, or cardiovascular disorders.

Claim 3 (currently amended) A method of minimizing circadian and neuroendocrine stimulation or distruption treating a light responsive disorder in a mammal, comprising administration of a therapeutically effective amount of light to said mammal, said light being generated by a light system, wherein said light system excludes emission of a balance of wavelengths to stimulate a circadian, photoneural, or neuroendocrine system of said mammal, said balance of wavelengths having a peak sensitivity ranging from 425-505 435-488 nm.

## Claim 4 (canceled)

Claim 5 (currently amended) A light system, comprising at least one light source, said light source emitting a balance of wavelengths to stimulate a mammalian circadian, photoneural, or neuroendocnne system, said balance of wavelengths having a peak sensitivity ranging from 425 505 435 - 488 nm.

Claim 6 (currently amended) A light system, comprising at least one light source, said light source excluding emission of a balance of wavelengths to stimulate a mammalian

George Brainard

Serial No.:

09/853,428

Group: 3739

Filed:

May 10, 2001 Examiner: Roy Dean Gibson

For:

PHOTORECEPTOR SYSTEM FOR MELATONIN REGULATION AND PHOTOTHERAPY

circadian, photoneural, or neuroendocrine system, said balance of wavelengths having a peak sensitivity ranging from 425-505 435-488.

Claim 7 (canceled)

Claim 8 (canceled)

Claim 9 (canceled)

Claim 10 (canceled)

- Claim 11 (currently amended) A method of treating a light responsive disorder in a mammal, comprising administration of a therapeutically effective amount of light to said mammal, said light being generated by a light system, wherein said light system comprises at least one light source and at least one transparent material component, said light source emitting light through said transparent material component, said transparent material component comprising at least one light filtering component, said light filtering component specifically transmitting a balance of wavelengths to stimulate a circadian, photoneural, or neuroendocrine system of said mammal, said balance of wavelengths having a peak sensitivity ranging from 425—505 435 488 nm.
- Claim 12 (original) The method of Claim 11, wherein said light responsive disorder is at least one of the group of seasonal affective disorder (SAD), a sleep disorder, circadian disruption, eating disorders, menstrual cycle disorders, non-specific alerting or performance deficits, hormone-sensitive cancers, or cardiovascular disorders.
- Claim 13 (currently amended) A method of treating a light responsive disorder in a mammal, comprising administration of a therapeutically effective amount of light to said mammal, said light being generated by a light system, wherein said light system comprises at least one light source and at least one translucent material component, said light source emitting light through said translucent material component, said

George Brainard

Serial No.: Filed:

09/853,428

May 10, 2001

Group: Examiner: Roy Dean Gibson

For:

PHOTORECEPTOR SYSTEM FOR MELATONIN REGULATION AND PHOTOTHERAPY.

3739

translucent material component comprising at least one light filtering component, said light filtering component specifically transmitting a balance of wavelengths to stimulate a circadian, photoneural, or neuroendocrine system of said mammal, said balance of wavelengths having a peak sensitivity ranging from 425 - 505 435 - 488 nm.

(original) The method of Claim 13, wherein said light responsive disorder is at least Claim 14 one of the group of seasonal affective disorder (SAD), a sleep disorder, circadian disruption, eating disorders, menstrual cycle disorders, non-specific alerting or performance deficits, hormone-sensitive cancers, or cardiovascular disorders.

(original) A method of treating a light responsive disorder in a mammal, comprising Claim 15 administration of a therapeutically effective amount of light to said mammal, said light being generated by a light system, wherein said light system comprises at least one light source and at least one transparent material component, said light source emitting light through said transparent material component, said transparent material component comprising at least one light filtering component, said light filtering component specifically blocking a balance of wavelengths to stimulate a circadian, photoneural, or neuroendocrine system of said mammal, said balance of wavelengths having a peak sensitivity ranging from 425 - 505 nm.

## Claim 16 (canceled)

(currently amended) A method of minimizing circadian and neuroendocrine Claim 17 stimulation or distruption treating a light responsive disorder in a mammal, comprising administration of a therapeutically effective amount of light to said mammal, said light being generated by a light system, wherein said light system comprises at least one light source and at least one translucent material component, said light source emitting light through said translucent material component, said

George Brainard

Serial No.:

09/853,428

Filed: For: May 10, 2001

Group: 373

Examiner: Roy Dean Gibson

PHOTORECEPTOR SYSTEM FOR MELATONIN REGULATION AND PHOTOTHERAPY

translucent material component comprising at least one light filtering component, said light filtering component specifically blocking a balance of wavelengths to stimulate a circadian, photoneural, or neuroendocrine system of said mammal, said balance of wavelengths having a peak sensitivity ranging from 425 - 5055 505 nm.

Claim 18 (canceled).

Claim 19 (canceled)